

addToLib v 1.1 - An AppleScript application that adds all files in a given folder to the iTunes Music Library and then (optionally) deletes the files from the source folder

Modified from the Add to iTunes Library Desktop Droplet Script by Apple Computer, Inc.

Copyright 2004 Ken Barnt <kenny@barnt.us>

## Change Log

-----

v 1.0 - original release

v 1.1 - fixed bug where sub directories would not be recursed

- added support for AAC and Protected AAC files

This software is distributed under the Apple Public Source Licence

INSTALATION - To install this application simply place it in the folder you wish to run it from.

SETUP - To set the application up to run on your system you will need to open it in Script Editor

(by default Macintosh HD:Applications:AppleScript:Script Editor) and set the following variables

to the appropriate values for your system:

temp\_folder (line 25) is the path to the folder whose contents you want to add to the iTunes Music

Library and should be in the format of Volume Name:folder:subfolder:subfolder...

DEFAULT is Macintosh HD:music:temp

del\_song (line 37) tells the application wether or not you want to delete the files after they are added to

the iTunes Music Library.

DEFAULT is 0 which tells the application to leave the files alone once they are added to the iTunes Music Library. (This option recomended if you do not have the "Copy files

to iTunes Music folder when adding to library" option checked in the advanced section of the

iTunes preferences.)

Set to 1 in order to have the application to delete the files once they are added to the iTunes

Music Library. (DO NOT use this option if you DO NOT have the "Copy files to iTunes Music folder

when adding to library" option checked in the advanced section of the iTunes preferences.)