Delete Empty Playlists

v3.2

For iTunes 11+/macOS 10.12+ Find more free AppleScripts and info on writing your own at Doug's AppleScripts for iTunes.

This script will list all empty user-created playlists and can delete all or just a selection of them.

For macOS 10.12 and later only.

This script is Donationware. If you use it and like it please consider making a donation to support my AppleScripting efforts. Click here for more info.

Installation:

This script is an **AppleScript applet** and can be run by double-clicking its icon in the Finder. However, it is probably best accessed from the iTunes Script menu.

Put AppleScripts in your iTunes "Scripts" folder. This is located at [user name] / Library / iTunes / Scripts / .


The user Library directory is hidden by default. To make it visible, hold down the Option key on your keyboard and select **Go > Library** from the Finder.

If the [user name] / Library / folder does not contain the "iTunes" or "Scripts" folders then then create them and put the script(s) in the "Scripts" folder. AppleScripts will then appear in iTunes' Script menu, and can be activated by selecting by name and clicking. Be sure to also save this Read Me document in a safe and convenient place.

See the online Download FAQ for more info and video on downloading and installing AppleScripts.

How to use:

Launch the script. It will display all empty user-created playlists (Playlist Folders, Smart playlists and "plain" playlists).



- To simply delete all of the displayed playlists, click the **Delete All** button.
- When one or more playlists are **selected** in the list, the name of the button changes to **Delete Selected**. Under these circumstances, clicking the button will delete only the selected playlists.
- The **Filter** field can be used to isolate specific playlists based on the text in their names.

Notes:

Perhaps obvious: The delete function cannot be un-done.

The app does not monitor iTunes for changes in playlists while it is running so it may be necessary to update the list manually. Use the *File* > *Refresh* tool (or press **Command-R**) to refresh the playlist list.

Bear in mind that it can take as long as 30 seconds for iTunes to completely update its database when changes are made.

Helpful Links:

Information and download link for this script is located at:

https://dougscripts.com/itunes/scripts/ss.php?sp=deleteemptyplaylists

If you have any trouble with this script, please email me.

My name is Doug Adams

support@dougscripts.com

on the underlined URL text:

- Doug's AppleScripts for iTunes
- Assign Shortcut Keys to AppleScripts
- Doug's RSS Feed **Recent site news**, **script additions and updates** (add link to your news reader)
- 30 Most Recent RSS Feed **Most recent new and updated scripts** (add link to your news reader)

Version History:

v3.2 oct 2. 2018

- Initial accommodations for macOS 10.14 Mojave
- Minor performance and security enhancements

v3.1 Sept 8, 2017

- Initial accommodations for macOS 10.13 High Sierra
- Minor performance and security enhancements

v3.0 May 31 2017

- Major update
- This verision is for macOS 10.10 and later only

v2.0 january 25 2012

- Speed improvments (thanks to Lowell Stewart)
- Removes "select playlists to delete" routine, simply deletes all empty user playlists

v1.0 jun 2 2010

- initial release

This doc last updated October 2 18

This software is released "as-is". By using it or modifying it you agree that its author cannot be held responsible or liable for any tragedies resulting thereof.

AppleScript, iTunes, and iPod are registered trademarks of Apple Inc.